(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Scott County, Iowa

and soil name	Pct.   of  map  unit	 	S	Off-road motorcycle trai	ls	   Golf fairways     	3
	     			   Rating class and   limiting features 			
11B: Colo	     50   	•	1.00	    Very limited   Depth to   saturated zone		    Very limited   Depth to   saturated zone   Flooding	1 1.00
Ely	35	  Not limited	 	  Not limited		  Not limited	
20C2: Killduff	1 100	    Not limited 	     	    Not limited 	     	    Not limited 	
20C3: Killduff	  100	  Not limited	   	  Not limited 	 	  Not limited 	 
20D2: Killduff	  100 	  Not limited	 	  Not limited 		  Somewhat limited   Slope	    0.63
20D3: Killduff	    100 	    Not limited 	     	    Not limited 	 	    Somewhat limited   Slope	1   1   1   1   1   1   1   1   1   1
24D3: Shelby	1 100	    Not limited 	     	    Not limited 	     	    Somewhat limited   Slope	10.63
24E2: Shelby			      0.02		     	    Very limited   Slope 	11.00
24E3: Shelby	  100 		    0.02		     	    Very limited   Slope 	    1.00
41: Sparta	   95 					  Somewhat limited   Droughty 	10.04
41B: Sparta	  100 			    Somewhat limited   Too sandy 		    Somewhat limited   Droughty 	10.04
41C: Sparta	   95 			  Somewhat limited   Too sandy		    Somewhat limited   Droughty 	0.04
41D: Sparta	95	    Somewhat limited	   	    Somewhat limited		    Somewhat limited	

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Scott County, Iowa

Map symbol and soil name	Pct.   of  map  unit	 	.s	Off-road motorcycle trai	.ls	Golf fairways	5
		<del>-</del>		Rating class and   limiting features		<del>-</del>	
		   Too sandy 	10.95	   Too sandy 	  0.95	   Slope   Droughty	10.63
54: Zook	   100     	•	1.00	  Very limited   Depth to   saturated zone 	1.00	  Very limited   Depth to   saturated zone   Flooding	11.00
63C: Chelsea	    95 	  Somewhat limited   Too sandy		  Somewhat limited   Too sandy		  Somewhat limited   Droughty	10.28
63E: Chelsea	    95   		   	  Somewhat limited   Too sandy 		  Very limited   Slope   Droughty	    0.96  0.28
65E2: Lindley	100 		0.02	    Not limited 		    Very limited   Slope	1 1.00
65F: Lindley	    95	  Somewhat limited   Slope	0.82	    Not limited 		    Very limited   Slope	1 1.00
65G: Lindley		  Very limited   Slope		    Somewhat limited   Slope		    Very limited   Slope	1 1.00
83B: Kenyon	100	    Not limited	     	    Not limited	   	    Not limited	
83C2: Kenyon	100	  Not limited 	 	  Not limited 	   	  Not limited 	i I
83D2: Kenyon	  100 	  Not limited 		  Not limited 		  Somewhat limited   Slope	1 1 1 0 . 63
83D3: Kenyon	     100 	    Not limited 	     	    Not limited 	     	    Somewhat limited   Slope 	      0.63
84: Clyde	    95	    Very limited		    Very limited		    Very limited	

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Scott County, Iowa

Map symbol and soil name	Pct.   of  map  unit		S	Off-road   motorcycle trai 	ls	   Golf fairways   	3
	     			   Rating class and   limiting features 			
	     	   Depth to   saturated zone 		   Depth to   saturated zone 		   Depth to   saturated zone 	  1.00 
118:	i		i		i		i
Garwin	95     		1.00	Very limited   Depth to   saturated zone 		Very limited   Depth to   saturated zone 	  1.00 
119: Muscatine	    95   	  Not limited   	 	  Not limited   		  Somewhat limited   Depth to   saturated zone	10.02
119B: Muscatine	      95	    Not limited		    Not limited		    Not limited	
120B: Tama	100	    Not limited		    Not limited		    Not limited	
120B2: Tama	100	    Not limited		    Not limited		    Not limited	
120C: Tama	95	    Not limited	   	    Not limited		    Not limited	
120C2: Tama	100	    Not limited 	     	    Not limited	     	    Not limited 	 
120C3: Tama	100	  Not limited 	 	    Not limited 	i 	  Not limited 	
120D2: Tama	100 	  Not limited 	 	  Not limited 		  Somewhat limited   Slope	    0.63
120D3: Tama	   100 	    Not limited 	     	    Not limited 		· •	1   1   1   1   1   1   1   1   1   1
120E2: Tama	100 		1   0.02	    Not limited 		    Very limited   Slope	1 1.00
120E3: Tama	100 	    Somewhat limited   Slope	1 1 1 0.02	    Not limited		    Very limited   Slope	11.00

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Scott County, Iowa

Map symbol and soil name	Pct.   of  map  unit			Off-road   motorcycle trai 	ls	   Golf fairways   	3
	     			Rating class and   limiting features			
133: Colo	     95     	    Very limited   Depth to   saturated zone	1.00	  Very limited   Depth to   saturated zone	11.00	saturated zone	    1.00    0.60
139: Perks	    -  95     	  Very limited   Too sandy   	    1.00   	  Very limited   Too sandy   			11.00
151: Marshan	  -   95   	  Very limited   Depth to   saturated zone	11.00	  Very limited   Depth to   saturated zone	1.00	  Very limited   Depth to   saturated zone	11.00
160: Walford	  -  100   		1.00	  Very limited   Depth to   saturated zone	1.00		11.00
162B: Downs	    -   95	    Not limited 	     	  Not limited	     	    Not limited 	 
162C2: Downs	  -  100 	  Not limited 	;     	  Not limited	 	  Not limited 	i 
162C3: Downs	  - 100 	  Not limited 	   	  Not limited 		  Not limited 	   
162D2: Downs	  - 100 	  Not limited 	   	  Not limited 		  Somewhat limited   Slope	    0.63
162D3: Downs	    - 100 	    Not limited 	       	    Not limited 		    Somewhat limited   Slope	1   0.63
162E2: Downs	    100 	•	      0.02	    Not limited   		    Very limited   Slope 	1 1.00
162E3: Downs	  -  100 		    0.02	  Not limited   		  Very limited   Slope 	1 1.00

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Scott County, Iowa

± ±	Pct.   of  map  unit		S	Off-road   motorcycle trai 	ls	Golf fairways    -  -	
		   Rating class and   limiting features		Rating class and   limiting features			
162F2: Downs	      100 			      Not limited 		      Very limited   Slope	1 1.00
163B2: Fayette	100	  Not limited		  Not limited	 	    Not limited	
163C: Fayette	95	    Not limited	,   	  Not limited	   	    Not limited	
163C2: Fayette	100	    Not limited		  Not limited		  Not limited	
163C3: Fayette	1 100	    Not limited	 	    Not limited		    Not limited	
163D: Fayette	     95 	    Not limited 	     	    Not limited 	     	    Somewhat limited   Slope	      0.63
163D2: Fayette	     95 	    Not limited 	     	    Not limited 		    Somewhat limited   Slope	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
163D3: Fayette	    100 	    Not limited 	     	    Not limited 		    Somewhat limited   Slope	10.63
163E: Fayette	     95 	    Somewhat limited   Slope	1 1 1 0 . 0 2	    Not limited 		    Very limited   Slope	11.00
163E2: Fayette	     95 		10.02	    Not limited 		    Very limited   Slope	11.00
163E3: Fayette		    Somewhat limited   Slope		    Not limited 		    Very limited   Slope	1 1.00
163F: Fayette			      0.82	    Not limited 		    Very limited   Slope	1 1.00
163F2: Fayette	95		      0.82	    Not limited 		    Very limited   Slope	1 1.00

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Scott County, Iowa

and soil name	Pct.   of  map  unit	of		Off-road   motorcycle trai 	ls	Golf fairways    - 	
	     			   Rating class and   limiting features 			
163F3: Fayette	     95 	    Somewhat limited   Slope	        0.82	    Not limited   	       	    Very limited   Slope	
163G: Fayette	   95 			  Somewhat limited   Slope		  Very limited   Slope	11.00
174: Bolan	1100	    Not limited	     	    Not limited	   	    Not limited	
175: Dickinson	     95	    Not limited	     	    Not limited	     	    Not limited	 
175B: Dickinson	     95	    Not limited 	     	  Not limited	   	    Not limited	 
175C: Dickinson	  100	,    Not limited 	   	    Not limited 	   	    Not limited 	
179D2: Gara	  100 	    Not limited 	     	  Not limited 		  Somewhat limited   Slope	0.63
179E2: Gara	    100 		      0.02 	    Not limited 	       	    Very limited   Slope 	1   1   1   1   1   1   1   1   1   1
179E3: Gara			      0.02			  Very limited   Slope	1 1.00
179F2: Gara			      0.82		     	    Very limited   Slope	1 1.00
179F3: Gara		    Somewhat limited   Slope 				    Very limited   Slope	1   1   1   1   1   1   1   1   1   1
184: Klinger	   95 	  Not limited 	   	    Not limited 	   	    Not limited 	
220: Nodaway	   90 	  Not limited 	   	  Not limited 	 	  Somewhat limited   Flooding	10.60

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Scott County, Iowa

Map symbol and soil name	Pct.   of  map  unit	 	S	Off-road motorcycle trai	ls	Golf fairways     	5
	   			   Rating class and   limiting features 			
225: Lawler	    -   95   	    Not limited   	 	    Not limited   	       	    Somewhat limited   Depth to   saturated zone	1 1 1 1 0 . 0 2
254: Zook	  -  100     	Depth to   saturated zone	1.00 	Depth to   saturated zone	1.00 	  Very limited   Depth to   saturated zone   Too clayey   Flooding	  1.00    1.00  0.60
273C: Olmitz	1	    Not limited		    Not limited		    Not limited	
284: Flagler	  -   95 	    Not limited 	     	    Not limited 		    Somewhat limited   Droughty	0.21
291: Atterberry	    -  95   	    Not limited   	       	    Not limited   	     	    Somewhat limited   Depth to   saturated zone	      0.19
293C: Chelsea	  -   40   	Too sandy				  Very limited   Slope   Droughty	1 1.00 10.28
Lamont	-  30		0.82	  Not limited 		  Very limited   Slope	11.00
Fayette			0.82			  Very limited   Slope	11.00
293E: Chelsea		Too sandy	0.95	Too sandy	0.95	    Very limited   Slope   Droughty	      0.96  0.28
Lamont	  - 30  -	  Not limited 		  Not limited 	 	  Very limited   Slope	    0.96
Fayette	  -   20 	  Not limited 		  Not limited 	 	  Very limited   Slope	    0.96
293F: Chelsea	    -  45	    Somewhat limited	   	    Somewhat limited	   	    Very limited	

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Scott County, Iowa

Map symbol and soil name	  Pct.   of  map  unit	of   ap		Off-road   motorcycle trai 	ls	   Golf fairways   	
	     			   Rating class and   limiting features 			
	 		  0.95  0.82	   Too sandy 	  0.95 	· •	  1.00  0.28
Lamont	35		10.82		     	  Very limited   Slope 	11.00
313G: Gosport	  100       	  Very limited   Slope     		  Somewhat limited   Slope     	    0.56     	  Very limited   Slope   Depth to bedrock   Depth to   saturated zone	
352B: Whittier	95	    Not limited 	     	    Not limited		    Not limited	
352C2: Whittier	95	    Not limited	 	    Not limited	     	    Not limited	 
354: Aquolls	   95 	    Not rated   	     	    Not rated 	     	    Not rated   	
377B: Dinsdale	1 100	      Not limited 	     	      Not limited 		      Not limited 	 
377C: Dinsdale	1100	  Not limited 	 	  Not limited 		  Not limited 	   
377C2: Dinsdale	1100	  Not limited	İ İ I	  Not limited		  Not limited	
382: Maxfield	95		1.00	  Very limited   Depth to   saturated zone	11.00	  Very limited   Depth to   saturated zone	11.00
420B: Tama	100	    Not limited	 	    Not limited		    Not limited	
426B: Aredale	95	    Not limited	 	    Not limited		  Not limited	 
426C: Aredale	100	  Not limited 	     	    Not limited 	     	    Not limited 	 

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Scott County, Iowa

Map symbol and soil name	Pct.   of  map  unit	of		Off-road   motorcycle tra 	ils	   Golf fairways   	3
	       _					Rating class and   limiting features	
426C2: Aredale	   - 100 	    Not limited 	     	    Not limited 		    Not limited 	     
426D2: Aredale	  - 100 	  Not limited 	   	  Not limited 		  Somewhat limited   Slope	10.63
428B: Ely	    -  95	    Not limited 	     	    Not limited 	     	    Not limited 	
430: Ackmore	 -  95     	  Not limited       	         	  Not limited     		  Somewhat limited   Flooding   Depth to   saturated zone	  0.60  0.19
430B: Ackmore	 -  95   	  Not limited     	 	  Not limited   		  Somewhat limited   Flooding   Depth to   saturated zone	  0.60  0.19
442C2: Tama	    -  50	    Not limited	 	    Not limited		    Not limited	
Dickinson	-  30	Not limited	   	Not limited		Not limited	
442D2: Tama	  -  50 	  Not limited	   	  Not limited	 	  Somewhat limited   Slope	1 10.63
Dickinson	 -  30 	  Not limited 	   	  Not limited 		  Somewhat limited   Slope	10.63
442E2: Tama	  -  50 	    Not limited 	     	    Not limited 	     	    Somewhat limited   Slope	10.63
Dickinson	 -  30 	  Not limited 	     	  Not limited 		  Somewhat limited   Slope	    0.63
450B: Pillot	   -  95	    Not limited 	     	    Not limited 	     	    Not limited 	
450C2: Pillot	 -  95 	  Not limited 	 	  Not limited		  Not limited	

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Scott County, Iowa

Map symbol and soil name	Pct.   of  map  unit		S	Off-road motorcycle trai	ls	Golf fairways   	
	       			Rating class and   limiting features			
484: Lawson	  -  95     	    Not limited     	         	    Not limited     	       		    0.60  0.19
499G: Nordness	  -  90     		    1.00   	  Somewhat limited   Slope 	0.14	· •	1.00
539: Perks	  -  90   	  Not limited   	       	  Not limited   			11.00
673D3: Timula	  -  100	    Not limited 		    Not limited 		    Somewhat limited   Slope	0.63
673E3: Timula	  -  100	    Somewhat limited   Slope	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1			    Very limited   Slope	1   1   1   1   1   1   1   1   1   1
673F3: Timula	  -  100	    Somewhat limited   Slope	1   1   1   1   1   1   1   1   1   1			    Very limited   Slope	1   1   1   1   1   1   1   1   1   1
763E3: Exette	  - 100 		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1			    Very limited   Slope	1 1.00
763F3: Exette	  -  100		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1			    Very limited   Slope	1 1.00
767E3: Mula	1 100	    Somewhat limited   Slope	1 1 1 1 0 . 0 2	    Not limited 		    Very limited   Slope	1   1   1   1   1   1   1   1   1   1
767F3: Mula	  -  100		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	    Not limited 		    Very limited   Slope	1 1.00
814: Rockton	   - 100	    Not limited	   	    Not limited		    Somewhat limited	   

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Scott County, Iowa

Map symbol and soil name	Pct.   of  map  unit	 	S	Off-road   motorcycle trai 	lls	Golf fairways   	3
	     					Rating class and   limiting features	
		   		   		Depth to bedrock	10.46
820: Dockery	   95 	  Not limited		  Not limited 	   	  Somewhat limited   Flooding	10.60
820B: Dockery	95	    Not limited 		    Not limited 	     	  Somewhat limited   Flooding	10.60
826: Rowley	     95   	    Not limited   	       	  Not limited   	       	  Somewhat limited   Depth to   saturated zone	0.19
916B: Downs	95	    Not limited	     	    Not limited		  Not limited	
916C2: Downs	1100	  Not limited	     	  Not limited		  Not limited	
916D2: Downs	1100	  Not limited 		  Not limited 	     	  Somewhat limited   Slope	10.63
920B: Tama	     95 	    Not limited 		    Not limited 		    Not limited 	     
920C2: Tama	  100 	  Not limited 	   	  Not limited 	   	  Not limited 	   
920D2: Tama	1100	  Not limited 		  Not limited 		  Somewhat limited   Slope	    0.63
926: Canoe	     95	    Not limited 	     	    Not limited 		    Not limited	
950: Niota	95	=		  Very limited   Depth to   saturated zone		  Very limited   Depth to   saturated zone	11.00
950B: Niota	100	    Very limited   Depth to   saturated zone		    Very limited   Depth to   saturated zone		    Very limited   Depth to   saturated zone	1 1.00

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Scott County, Iowa

Map symbol and soil name	Pct.   of  map  unit	 	S	Off-road motorcycle trai	ls	Golf fairways	5
		   Rating class and   limiting features 		Rating class and   limiting features			
960: Shaffton	    -  95 	 	       	    Not limited 		    Somewhat limited   Flooding	      0.60
961: Ambraw	 - 100   	  Very limited   Depth to   saturated zone 	1.00	  Very limited   Depth to   saturated zone 	1.00	  Very limited   Depth to   saturated zone   Flooding	  1.00    0.60
977: Richwood	- 100	    Not limited 	 	    Not limited 	 	    Not limited 	
1118: Garwin		  Very limited   Depth to   saturated zone	11.00	  Very limited   Depth to   saturated zone	1.00		    1.00 
1119: Muscatine	95	  Not limited   	 	  Not limited 	 	  Somewhat limited   Depth to   saturated zone	10.02
1539: Ambraw		Depth to   saturated zone	1.00 	  Very limited   Depth to   saturated zone   Flooding 	11.00	İ	
Perks		  Somewhat limited   Flooding 				Flooding	  1.00  1.00
Lawson		  Somewhat limited   Flooding   		  Somewhat limited   Flooding   			  1.00  0.19
1730B: Nodaway	-  45		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	    Somewhat limited   Flooding	0.40	    Very limited   Flooding	1 1.00
Perks	-   40	  Somewhat limited   Flooding 	    0.40	  Somewhat limited   Flooding 	    0.40	  Very limited   Flooding   Droughty	  1.00  1.00

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Scott County, Iowa

and soil name	  Pct.   of  map  unit   	 		Off-road   motorcycle trails 		   Golf fairways     	
				   Rating class and   limiting features 			
4000: Urban Land	1 100	    Not rated   	       	    Not rated   		    Not rated   	       
4133: Colo	       50     		11.00	  -  Very limited   Depth to   saturated zone		    Very limited   Depth to   saturated zone   Flooding	      1.00    0.60
Urban Land	   40 	  Not rated 	   	  Not rated 	   	  Not rated 	
4162C: Downs	     50	    Not limited	 	    Not limited		    Not limited	 
Urban Land	40 	  Not rated 	   	  Not rated 	   	  Not rated 	   
4162D: Downs	     50 	    Not limited 	 	    Not limited 	     	    Somewhat limited   Slope	      0.63
Urban Land	   40 	  Not rated 	   	  Not rated 	   	  Not rated 	   
4163E: Fayette	       50		          0.50	      Not limited 	     	      Very limited   Slope	        1.00
Urban Land	   40 	  Not rated 		  Not rated 	 	  Not rated 	
4220: Nodaway Urban Land		 	 	 		      Somewhat limited   Flooding    Not rated 	          0.60
4291: Atterberry	   50	  Not limited		    Not limited		    Somewhat limited	i

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Scott County, Iowa

Map symbol and soil name	  Pct.   of  map  unit	 		Off-road   motorcycle trails 		   Golf fairways   	
	     			   Rating class and   limiting features 			
				 		   Depth to   saturated zone	10.19
Urban Land	   40 	  Not rated		  Not rated 		  Not rated 	   
4977B: Richwood	    -   50			    Not limited 	     	    Not limited 	     
Urban Land	40	Not rated		  Not rated 	i I	  Not rated 	i I
5010: Pits	    100   			    Not rated 	       	    Not rated   	
5030: Pits	    -  100 	 		    Not rated 	 	      Not rated   	
5040: Orthents, Loamy	    -   90   			    Not rated     	         	    Not rated     	       
INT: Intermittent Water	     100			    Not rated 		    Not rated 	
SL: Sewage Lagoon	  -  100 	 		    Not rated 		    Not rated 	
W: Water	    100 	    Not rated   		    Not rated 		    Not rated 	     
	İ	 		 	İ	 	<u> </u>